

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google patents

deleted each of returned encrypted program p

Search Patents

[Advanced](#)Try uppercase **"OR"** to search for either of two terms. [\[details\]](#)

## Patents

Patents **1 - 10** on **deleted each of returned encrypted program portion or segment**. (0.04 seconds)

## ▸ List view

[Cover view](#)

## ▸ Sort by relevance

[Sort by date \(new first\)](#)[Sort by date \(old first\)](#)

## ▸ Any status

[Issued patents](#)[Applications](#)[Security system for microcomputers](#)

US Pat. 4757533 - Filed Sep 11, 1985 - Computer Security Corporation

If it is not **encrypted**, then exit to DOS ensues without decryption. ... Block indicates that the file to be **deleted** or renamed is checked on the disc to see

...

[Computer system and process for accessing an \*\*encrypted\*\* and self-decrypting ...](#)

US Pat. 6185686 - Filed Apr 7, 2000 - Open Security Solutions, LLC

A table of 50 locations specifying the location of **each portion** of the product ... **Each segment** information hidden in the digital information product may be

...

[Programmable logic controller method, system and apparatus](#)

US Pat. 6594529 - Filed Mar 15, 2000 - Siemens Energy &amp; Automation

The user **program** (OBI) is cleared (**deleted**) 3. ... the PLC instruments the compiled code **segment** for which status is to be gathered. ...[Apparatus for providing a secure processing environment](#)

US Pat. 6385727 - Filed Sep 25, 1998 - Hughes Electronics Corporation

For **each** data **segment** loaded, and then for the applet itself: a) the Random Whitening ... c) the block is **encrypted** with whitening; and d) the **encrypted**,

...

[Ergonomic man-machine interface incorporating adaptive pattern recognition ...](#)

US Pat. 5875108 - Filed Jun 6, 1995

The buffer storage data, if not **deleted**, also allows a user to select a **portion** for retention that the interface system has rejected. ...[Media recording device with packet data interface](#)

US Pat. 6640145 - Filed Jun 3, 2002

The buffer storage data, if not **deleted**, also allows a user to select a **portion** for retention that the interface system has rejected. ...[One-time pad Encryption key Distribution](#)

US Pat. 6868495 - Filed Jul 21, 2000 - Open Security Solutions, LLC


This step is useful because different **encrypted**. methods may be used with ...**Each segment** information hidden in 45 original data file, decrypts and ...[Update mechanism for computer storage container manager](#)

US Pat. 5873097 - Filed Dec 17, 1996 - Apple Computer, Inc.

Note that although the data in real value data **segment** 512 is not the literal ... before being **returned**. When the application **program** finishes its work, ...[Peer-to-peer automated anonymous asynchronous file sharing](#)

US Pat. 6675205 - Filed Jul 20, 2001 - Arcessa, Inc.

In response to the applied search request, **each** of the search index servers 216, 217 queries its corresponding local index **segment** 802 and generates search ...



---

deleted each of returned encrypted program portion or segment

[Advanced Patent Search](#)

---

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2010 Google